



















Wärmeschutz

Protection thermique

Thermal insulation

Fassade Façade Curtain wall	Fenster Fenêtre Window	Tür Porte Door
<p>THERM⁺ A-V</p>  <p> $U_f = 0,85 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,80 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 65 W</p>  <p> $U_f = 1,9 \text{ W/(m}^2\text{K)}$ $U_w = 1,1 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D</p>  <p> $U_f = 2,1 \text{ W/(m}^2\text{K)}$ $U_D = 1,2 \text{ W/(m}^2\text{K)}$ </p>
<p>THERM⁺ A-I</p>  <p> $U_f = 0,91 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,82 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 W</p>  <p> $U_f = 1,6 \text{ W/(m}^2\text{K)}$ $U_w = 0,99 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D</p>  <p> $U_f = 2,2 \text{ W/(m}^2\text{K)}$ $U_D = 1,2 \text{ W/(m}^2\text{K)}$ </p>
<p>THERM⁺ H-V</p>  <p> $U_f = 0,93 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,80 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 W-I</p>  <p> $U_f = 1,2 \text{ W/(m}^2\text{K)}$ $U_w = 0,87 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D-I</p>  <p> $U_f = 1,3 \text{ W/(m}^2\text{K)}$ $U_D = 0,70 \text{ W/(m}^2\text{K)}$ </p>
<p>THERM⁺ H-I</p>  <p> $U_f = 0,91 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,80 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 FF</p>  <p> $U_f = 1,7 \text{ W/(m}^2\text{K)}$ $U_w = 0,96 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D-I</p>  <p> $U_f = 1,4 \text{ W/(m}^2\text{K)}$ $U_D = 0,69 \text{ W/(m}^2\text{K)}$ </p>
<p>THERM⁺ S-I</p>  <p> $U_f = 0,83 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,80 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 WB</p>  <p> $U_f = 1,7 \text{ W/(m}^2\text{K)}$ $U_w = 0,96 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D-I</p>  <p> $U_f = 1,4 \text{ W/(m}^2\text{K)}$ $U_D = 0,95 \text{ W/(m}^2\text{K)}$ </p>
<p>THERM⁺ SG3 ISTEINDL</p>  <p> $U_f = 0,78 \text{ W/(m}^2\text{K)}$ $U_{cw} = 0,81 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 WA</p>  <p> $U_f = 1,6 \text{ W/(m}^2\text{K)}$ $U_w = 1,0 \text{ W/(m}^2\text{K)}$ </p>	<p>FRAME⁺ 75 D-I</p>  <p> $U_f = 1,4 \text{ W/(m}^2\text{K)}$ $U_D = 0,95 \text{ W/(m}^2\text{K)}$ </p>
<p> $U_g = 0,7 \text{ W/(m}^2\text{K)}$ 1,20 x 2,50 m </p>	<p> $U_g = 0,6 \text{ W/(m}^2\text{K)}$ 1,23 x 1,48 m </p>	<p> $U_g = 0,6 \text{ W/(m}^2\text{K)}$; $U_p = 0,37 \text{ W/(m}^2\text{K)}$ 1,23 x 2,18 m </p>